

bankitz.conf

```
#####  
# BanKitz config file  
# Lines beginning with # are comments.  
rpcuser=introduce any name of rpcuser as you want, for example, viggo  
rpcpassword=introduce any password as you want, for example, x  
rpcallowip=127.0.0.1  
rpcport=31662  
port=14561  
listen=1  
daemon=1  
server=1  
txindex=1  
maxconnections=500  
addnode=162.208.10.123:14561  
addnode=173.212.247.217:14561  
addnode=173.249.41.184:14561  
addnode=173.249.9.82:14561  
addnode=178.238.236.116:14561  
addnode=18.217.39.237:14561  
addnode=183.88.223.236:14561  
addnode=212.237.33.84:14561  
addnode=5.189.141.253:14561  
addnode=85.214.141.75:14561  
addnode=85.93.207.68:14561  
addnode=95.136.63.227:14561  
addnode=[2a00:6d40:60:aa54::1]:14561  
addnode=[2a02:c207:2018:8334::1]:14561  
addnode=178.238.224.253:14561  
addnode=162.208.10.123:14561  
addnode=[2404:9400:10fc:a012::c]:14561  
addnode=109.194.51.160:14561  
addnode=178.238.224.253:14561  
addnode=45.77.117.90:14561  
addnode=89.22.110.234:14561  
addnode=95.170.176.157:14561  
addnode=178.238.224.253:14561  
addnode=212.92.101.175:14561  
addnode=54.36.172.184:14561  
# - Masternode Config -  
#masternode=1  
#masternodeprivkey=  
#externalip=IPADDRESS  
#masternodeaddr=IPADDRESS:14561  
#####
```